


OVEN FRESH

CONTINUOUS HEAT FOOD DELIVERY SYSTEMS



Designed and Assembled in the USA

THE ELECTRIC HOTBAG®



In 1993 we introduced The ELECTRIC HOTBAG®, the world's first electrically heated food delivery bag. Today our family of products and patented technology are sold worldwide and are the key ingredient for oven fresh food delivery across every food service category.



One plug. Any bag.

All ELECTRIC HOTBAGS® share the same universal power connections. (Excludes the battery powered HB-FS4)

High Quality Materials



Check Corporation uses only the highest quality materials for the fabrication of each bag, making them the most durable and reliable delivery solution in the industry.

Quick Connect Power

The quick connect power cords allow you to easily connect/disconnect from your power supplies or power source. Fast, easy, efficient.

Moisture Management

The ELECTRIC HOTBAG® uses only the finest insulation, which helps maintain proper food temperatures while wicking away moisture and condensation.



DELIVERY | Pizza • Quick Service • Casual Dining • Fine Dining


You use the best ingredients and work hard to provide customers with the highest quality foods. Let us help you deliver the freshest food possible!

HB-1

18"W x 18"L x 5.5"H

FRONT LOADING

Holds equivalent of (2) 16" or (3) 14" pizza boxes.




HB-2

18"W x 19"L x 12"H

FRONT LOADING

Holds equivalent of (6) 16" or (7) 14" pizza boxes.




HB-XW

19"W x 21"L x 8.5"H

FRONT LOADING

Holds equivalent of (3) 18" or (4) 16" pizza boxes.




HB-FS-3

10"W x 14"L x 11"H

FRONT LOADING

Designed to fit multiple sized containers.



DELIVERY

Pizza • Quick Service • Casual Dining • Fine Dining

You use the best ingredients and work hard to provide customers with the highest quality foods. Let us help you deliver the freshest food possible!

HOT NEW PRODUCT

HB-FS4

14"W x 14"L x 9"H

TOP LOADING

Designed to fit multiple sized containers.

BATTERY POWERED!

- Folds flat for easy storage
- 4 Heating Elements
- Liquid resistant
- Requires HBPS-FS4 for charging



CATERING

Events • Schools • Hotels • Medical • Military

Mobile. Modular. Lightweight.

Our premium line of electrically heated catering bags provide all the benefits of commercial catering systems for only a fraction of the cost. No dollies, no large trucks, just pack, pick up and go.

HB-CATER

14"W x 22"L x 15"H

FRONT LOADING

Built-in slots hold up to (5) full-size hotel/catering pans.

- Folds flat for easy storage
- Liquid resistant
- 2 Heating Elements



ACCESSORIES

Delivery • Catering

PDU (Power Distribution Unit)

- Six position AC power supply
- 110-240v • 50-60hz
- Requires country specific input power cord.



- PDU-6-US (includes North American AC input cord)
- PDU-6-INTL (requires country-specific, AC input cord, sold separately)

PDU EXTENSION CORDS

- 6 ft. PDU output wire
- 10 ft. PDU output wire

- CORD-PDUOUT6-F
- CORD-PDUOUT10-F



LIGHTER PLUG

- 12vDC lighter plug power cord

- HBPC-AMP-72



LIGHTER PLUG ADAPTOR

- Multi-plug adaptor
- (3) Lighter plugs

- A13-97



CATERING SHELF

- Fits HB-Cater, HB-Cater-3

- HB-Cater-SHELF



POWER SUPPLY

- Single position AC power supply
- 110-240VAC
- 50-60hz
- Requires country specific input power cord.

- HBPS-FS4



SCOOTER POWER SUPPLY

- Scooter power supply adaptor
- Powers two bags at one time

- SPA-1



CATERING SIDE PANELS

- Fits HB-Cater

- HB-Cater-SP




HEATING ELEMENTS

- Replaceable heating elements



CONTINUOUS HEAT



Orders, Quotes & Questions

Contact us today!

+1 (248) 680-2323

8am-5pm EST, Mon-Fri

orders@checkcorp.com



hotbag.com

SYSTEM VALUE COMPARISON




SYSTEM TYPE

SYSTEM DESCRIPTION	ELECTRIC HOTBAG (DC System)	Magnetic Induction	AC System	Alternative DC System
VOLTAGE	12v electrical consumption	110-240v AC (product specific)	110v only	12v electrical consumption
ENERGY EFFICIENCY	50-70 watts/bag	600-1800 watts/bag	200 watts/bag	34-81 watts/bag
HEATING ELEMENTS	Flexible heating elements	Rigid heating element (bottom only)	Rigid heating element (bottom only)	Rigid heating elements (top & bottom)
LIGHT WEIGHT	Yes	No	Yes	Yes
BATTERY POWER OPTION	Yes	No	No	No
FAIL POINTS	No inherent fail points	Overheating of pellets (heating element)	No inherent fail points	Wiring assemblies
INITIAL INVESTMENT COST	\$\$	\$\$\$\$	\$\$	\$\$-
REPLACEMENT MAINTENANCE COSTS	\$	\$\$\$\$	\$\$\$	\$\$+
FIELD PERFORMANCE	✓✓✓✓	✓✓	✓✓+	✓✓
FRESHNESS	✓✓✓✓	✓✓-	✓✓	✓✓



Designed and Assembled in the USA



ELECTRIC[®]
HOTBAG

Hot and fresh delivery made simple.

hotbag.com

Made by Check Technology Solutions, USA