



# The Pressure

Updated: July 2022

# Washer Spreadsheet

[www.obsessedgarage.com](http://www.obsessedgarage.com)

# MATT'S RECOMMENDED

Rank	Model	Retail	Outlet	Rated Flow (GPM)	Measured Flow (GPM)	Rated Pressure (PSI)	Measured Pressure (PSI)	OE Nozzle Orifice	Rated Current Draw (A)	Measured Current Draw (A)	Loudness w/ OE Sprayer (DB)	Weight (LBS)	Accepts Foam Cannon w/ OE Sprayer	Total Stop System	OG Suggested Nozzle Size	Suggested Foam Cannon Orifice Size (mm)	Tested Flow (GPM)	Tested Pressure (PSI)	Tested Cleaning Units	Tested Current Draw (A)	Current Draw w/ Foam Cannon (A)
1	Kranzle K1322TST	\$1,122.00	M22 14mm	2.10	-	1300	-	-	15.0	-	68	48.5	Yes	Yes	4.0	1.25	1.97	1010	1990	13.5	16.2
2	AR Blue Clean AR630-TSS	\$735.00	M22 14mm	2.10	1.83	1900	1380	3.5	19.0	18.3	70	67.0	Yes	Yes	5.0	1.25	2.32	975	2262	17.8	17.6
3	Kranzle K1122TST	\$1,422.00	M22 14mm	2.10	2.02	1400	1050	4.2	15.0	16.4	68	81.0	Yes	Yes	4.5	1.25	1.95	950	1767	13.8	15.0
4	Active 2.0	\$350.00	M22 14mm	2.00	1.89	1800	990	4.0	15.0	13.1	72	23.0	Yes	Yes	5.0	1.25 (1.5 if breaker trips)	2.12	750	1590	11.5	15.3 A w/ 1.25 12.4 A w/ 1.5
5	Active VE52/VE56	\$230.00	M22 15mm	2.00	1.84	1800	1090	3.7	15.0	12.0	-	18.5	Yes	Yes	4.0	1.25	1.86	1050	1953	12.6	14.1
6	Comet Static 1700	\$649.99	M22 15mm	2.20	-	1300	-	-	15.0	-	68	49.0	Yes	Yes	4.0	1.25	1.90	975	1853	13.9	13.7
7	Karcher K1700	\$169.00	M22 14mm	1.20	1.10	1700	1700	1.8	13.0	15.5	70	15.5	Yes	Yes	3.0	1.1	1.40	1000	1450	12.8	13.6

**KEY**  
**Rank** - Based on overall perform and personal preference  
**Outlet** - Pressure washer outlet thread/size  
**Rated** - Rating from the manufacturer  
**Measured** - Performance with stock accessories as tested by OG  
**Tested** - Performance with OG accessories and suggested nozzle size



# KRANZLE

Rank	Model	Retail	Outlet	Rated Flow (GPM)	Measured Flow (GPM)	Rated Pressure (PSI)	Measured Pressure (PSI)	OE Nozzle Orifice	Rated Current Draw (A)	Measured Current Draw (A)	Loudness w/ OE Sprayer (DB)	Weight (LBS)	Accepts Foam Cannon w/ OE Sprayer	Total Stop System	OG Suggested Nozzle Size	Suggested Foam Cannon Orifice Size (mm)	Tested Flow (GPM)	Tested Pressure (PSI)	Tested Cleaning Units	Tested Current Draw (A)	Current Draw w/ Foam Cannon (A)
1	KW5700TS	\$3,687.00	M22 14mm	3.30	3.17	2400	2100	4.5	25.0	-	80 - 58 on bypass	187.0	No	30 sec Run off	7.0	1.25	3.33	1200	3993	-	-
	K1322TST	\$1,122.00	M22 14mm	2.10	-	1300	-	-	15.0	-	68	48.5	Yes	Yes	4.0	1.25	1.97	1010	1990	13.5	16.2
3	K1122TST	\$1,422.00	M22 14mm	2.10	2.02	1400	1050	4.2	15.0	16.4	68	81.0	Yes	Yes	4.5	1.25	1.95	950	1767	13.8	15.0
	K1622TS	\$1,202.00	M22 14mm	1.70	1.50	1600	1450	-	15.0	14.9	68	48.5	Yes	Yes	3.5	1.25	1.60	900	1431	10.5	11.4



# AR BLUE CLEAN PRO-LINE

Rank	Model	Retail	Outlet	Rated Flow (GPM)	Measured Flow (GPM)	Rated Pressure (PSI)	Measured Pressure (PSI)	OE Nozzle Orifice	Rated Current Draw (A)	Measured Current Draw (A)	Loudness w/ OE Sprayer (DB)	Weight (LBS)	Accepts Foam Cannon w/ OE Sprayer	Total Stop System	OG Suggested Nozzle Size	Suggested Foam Cannon Orifice Size (mm)	Tested Flow (GPM)	Tested Pressure (PSI)	Tested Cleaning Units	Tested Current Draw (A)	Current Draw w/ Foam Cannon (A)
2	AR630-TSS	\$735.00	M22 14mm	2.10	1.83	1900	1380	3.5	19.0	18.3	70	67.0	Yes	Yes	5.0	1.25	2.32	975	2262	17.8	17.6
	AR675	\$749.00	M22 14mm	1.50	1.42	1450	1475	Vario	13.0	13.6	72	49.0	Yes	Yes	3.5	1.1	1.59	1050	1673	11.0	13.2
	AR630TSS-HOT	\$869.00	M22 14mm	2.10	1.80	1900	1380	3.5	19.0	18.3	70	67.0	Yes	Yes	5.0	1.25	2.30	975	2262	17.8	17.6
	AR613	\$689.00	M22 14mm	2.20	-	1900	-	-	15.0	-	72	65.0	Yes	Yes	4.5	1.25	2.01	1000	2010	12.2	15.9

**KEY**  
**Rank** - Based on overall perform and personal preference  
**Outlet** - Pressure washer outlet thread/size  
**Rated** - Rating from the manufacturer  
**Measured** - Performance with stock accessories as tested by OG  
**Tested** - Performance with OG accessories and suggested nozzle size

# ACTIVE

Rank	Model	Retail	Outlet	Rated Flow (GPM)	Measured Flow (GPM)	Rated Pressure (PSI)	Measured Pressure (PSI)	OE Nozzle Orifice	Rated Current Draw (A)	Measured Current Draw (A)	Loudness w/ OE Sprayer (DB)	Weight (LBS)	Accepts Foam Cannon w/ OE Sprayer	Total Stop System	OG Suggested Nozzle Size	Suggested Foam Cannon Orifice Size (mm)	Tested Flow (GPM)	Tested Pressure (PSI)	Tested Cleaning Units	Tested Current Draw (A)	Current Draw w/ Foam Cannon (A)
4	Active 2.0	\$350.00	M22 14mm	2.00	1.89	1800	990	4.0	15.0	13.1	72	23.0	Yes	Yes	5.0	1.25 (1.5 if breaker trips)	2.12	750	1590	11.5	15.3 A w/ 1.25 12.4 A w/ 1.5
5	VE52/VE56	\$230.00	M22 15mm	2.00	1.84	1800	1090	3.7	15.0	12.0	-	18.5	Yes	Yes	4.0	1.25	1.86	1050	1953	12.6	14.1

# COMET

Rank	Model	Retail	Outlet	Rated Flow (GPM)	Measured Flow (GPM)	Rated Pressure (PSI)	Measured Pressure (PSI)	OE Nozzle Orifice	Rated Current Draw (A)	Measured Current Draw (A)	Loudness w/ OE Sprayer (DB)	Weight (LBS)	Accepts Foam Cannon w/ OE Sprayer	Total Stop System	OG Suggested Nozzle Size	Suggested Foam Cannon Orifice Size (mm)	Tested Flow (GPM)	Tested Pressure (PSI)	Tested Cleaning Units	Tested Current Draw (A)	Current Draw w/ Foam Cannon (A)
6	Static 1700	\$649.99	M22 15mm	2.20	-	1300	-	-	15.0	-	68	49.0	Yes	Yes	4.0	1.25	1.90	975	1853	13.9	13.7

**KEY**  
**Rank** - Based on overall perform and personal preference  
**Outlet** - Pressure washer outlet thread/size  
**Rated** - Rating from the manufacturer  
**Measured** - Performance with stock accessories as tested by OG  
**Tested** - Performance with OG accessories and suggested nozzle size



Rank	Model	Retail	Outlet	Rated Flow (GPM)	Measured Flow (GPM)	Rated Pressure (PSI)	Measured Pressure (PSI)	OE Nozzle Orifice	Rated Current Draw (A)	Measured Current Draw (A)	Loudness w/ OE Sprayer (DB)	Weight (LBS)	Accepts Foam Cannon w/ OE Sprayer	Total Stop System	OG Suggested Nozzle Size	Suggested Foam Cannon Orifice Size (mm)	Tested Flow (GPM)	Tested Pressure (PSI)	Tested Cleaning Units	Tested Current Draw (A)	Current Draw w/ Foam Cannon (A)
	K2 Ergo	\$139.00	Karcher Specific	1.20	1.10	1600	1250	-	13.0	13.7	67	13.2	Yes w/ adapter	Yes	3.0	1.1	1.30	900	1215	12.0	13.3
	K2 Plus	\$139.00	Karcher Specific	1.20	1.10	1600	1250	-	13.0	13.7	67	13.0	Yes w/ adapter	Yes	3.0	1.1	1.30	900	1215	12.0	13.3
	K2 Compact	\$129.00	Karcher Specific	1.20	1.10	1600	1250	-	13.0	13.7	67	14.5	Yes w/ adapter	Yes	3.0	1.1	1.30	900	1215	12.0	13.3
	K3 Follow Me	\$199.00	Karcher Specific	1.30	1.20	1800	1500	-	13.0	14.3	66	12.7	Yes w/ adapter	Yes	3.0	1.1	1.40	925	1304	11.2	12.7
7	K1700	\$169.00	M22 14mm	1.20	1.10	1700	1700	1.8	13.0	15.5	70	15.5	Yes	Yes	3.0	1.1	1.40	1000	1450	12.8	13.6
	K1800	\$179.00	M22 14mm	1.20	1.10	1800	1650	1.8	13.0	14.3	70	21.4	Yes	Yes	3.0	1.1	1.40	950	1330	11.8	12.9
	K5 Premium	\$329.00	Karcher Specific	1.40	1.20	2000	1400	-	13.0	12.6	65	28.7	Yes w/ adapter	Yes	3.0	1.1	1.30	900	1233	10.1	11.7
	K5	\$299.00	Karcher Specific	1.40	1.20	2000	1350	-	13.0	12.0	66	24.3	Yes w/ adapter	Yes	3.0	1.1	1.30	850	1139	9.8	11.2

**KEY**  
**Rank** - Based on overall perform and personal preference  
**Outlet** - Pressure washer outlet thread/size  
**Rated** - Rating from the manufacturer  
**Measured** - Performance with stock accessories as tested by OG  
**Tested** - Performance with OG accessories and suggested nozzle size



Rank	Model	Retail	Outlet	Rated Flow (GPM)	Measured Flow (GPM)	Rated Pressure (PSI)	Measured Pressure (PSI)	OE Nozzle Orifice	Rated Current Draw (A)	Measured Current Draw (A)	Loudness w/ OE Sprayer (DB)	Weight (LBS)	Accepts Foam Cannon w/ OE Sprayer	Total Stop System	OG Suggested Nozzle Size	Suggested Foam Cannon Orifice Size (mm)	Tested Flow (GPM)	Tested Pressure (PSI)	Tested Cleaning Units	Tested Current Draw (A)	Current Draw w/ Foam Cannon (A)
	RY142022	\$199.00	M22 14mm	1.20	1.07	2000	1850	1.7	13.0	14.7	72	29.0	Yes	Yes	3.0	1.1	1.41	1050	1478	10.1	11.8
	RY1419MT	\$179.00	M22 14mm	1.20	1.09	1900	1810	1.7	13.0	14.5	72	21.0	No	Yes	3.0	1.1	1.42	1090	1550	10.8	12.5
	RY141820	\$129.00	M22 14mm	1.20	1.08	1800	1810	1.7	13.0	14.6	71	16.0	No	Yes	3.0	1.1	1.43	1090	1554	10.8	12.5
	RY141612	\$105.80	M22 14mm	1.20	1.10	1600	1700	-	13.0	15.0	67	16.4	Yes	Yes	3.0	1.1	1.40	1025	1507	11.7	13.1
	RY141812G	\$129.00	M22 14mm	1.20	1.10	1800	1850	-	13.0	16.0	68	18.0	Yes	Yes	3.0	1.1	1.40	1000	1460	11.1	14.2
	RY14122	\$149.00	M22 14mm	1.20	1.10	1700	1575	-	13.0	14.4	67	345.0	Yes	Yes	3.0	1.1	1.40	1000	1440	10.9	12.4
	RY141900	\$329.00	M22 14mm	1.20	1.10	2000	1875	-	13.0	13.0	72	42.2	Yes	Yes	2.5	1.1	1.20	1100	1331	10.4	11.0
	RY142300	\$299.00	M22 14mm	1.20	1.10	2300	2100	-	13.0	13.9	74	49.0	Yes	Yes	2.5	1.1	1.20	1125	1406	8.6	8.9

**KEY**  
**Rank** - Based on overall perform and personal preference  
**Outlet** - Pressure washer outlet thread/size  
**Rated** - Rating from the manufacturer  
**Measured** - Performance with stock accessories as tested by OG  
**Tested** - Performance with OG accessories and suggested nozzle size



Rank	Model	Retail	Outlet	Rated Flow (GPM)	Measured Flow (GPM)	Rated Pressure (PSI)	Measured Pressure (PSI)	OE Nozzle Orifice	Rated Current Draw (A)	Measured Current Draw (A)	Loudness w/ OE Sprayer (DB)	Weight (LBS)	Accepts Foam Cannon w/ OE Sprayer	Total Stop System	OG Suggested Nozzle Size	Suggested Foam Cannon Orifice Size (mm)	Tested Flow (GPM)	Tested Pressure (PSI)	Tested Cleaning Units	Tested Current Draw (A)	Current Draw w/ Foam Cannon (A)
	GPW1703	\$149.99	M22 14mm	1.20	1.25	1700	1300	-	13.0	12.3	68	19.0	No	Yes	3.0	1.1	1.40	1060	1487	10.6	11.9
	GPW1802	\$189.99	M22 14mm	1.10	1.09	1800	1510	-	13.0	13.4	67	25.6	No	Yes	3.0	1.1	1.36	1000	1356	10.4	11.9
	GPW2001	\$199.99	M22 14mm	1.20	1.18	2000	1690	-	13.0	13.6	70	42.0	Yes	Yes	3.0	1.1	1.30	925	1199	11.0	12.0
	GPW2006	\$199.99	M22 14mm	1.20	1.18	2000	1660	-	14.0	13.8	72	38.0	Yes	Yes	3.0	1.1	1.42	1090	1546	10.5	12.1
	GPW2300	\$299.99	M22 14mm	2.30	1.70	2300	1250	-	14.0	12.3	71	45.5	Yes	Yes*	4.0	1.1	1.89	1100	2081	12.3	14.4
	GPW2301	\$249.99	M22 14mm	2.30	1.74	2300	1310	-	15.0	14.5	70	45.0	Yes	Yes*	4.0	1.1	1.89	1100	2083	13.3	14.4
	GPW3000	\$399.99	M22 14mm	2.00	1.28	3000	2175	-	15.0	14.7	72	47.0	Yes	No	3.5	1.1	1.61	1010	1622	10.1	14.4
	GPW1501	\$89.00	M22 14mm	1.20	1.10	1500	1550	-	13.0	12.7	67	15.5	Yes	Yes	2.5	1.1	1.20	1200	1548	11.7	12.4
	GPW1600	\$99.00	M22 14mm	1.20	1.10	1600	1550	-	13.0	13.7	67	17.0	Yes	Yes	2.5	1.1	1.30	1225	1605	12.1	12.5
	GPW1704	\$99.00	M22 14mm	1.20	1.10	1700	1500	-	13.0	13.0	68	17.0	Yes	Yes	2.5	1.1	1.20	1200	1524	11.7	11.9
	GPW1800	\$169.99	M22 14mm	1.10	1.00	1800	1590	-	13.0	13.7	68	25.0	Yes	Yes	2.5	1.1	1.20	1145	1469	11.0	11.7
	GPW1953	\$139.00	M22 14mm	1.20	1.20	1950	1500	-	13.0	13.7	69	27.8	Yes	Yes	3.0	1.1	1.40	1000	1430	11.1	12.7
	GPW2000-1	\$199.00	M22 14mm	1.20	1.10	2000	1725	-	13.0	14.9	73	30.6	Yes	Yes	3.0	1.1	1.40	1025	1507	11.2	13.2
	GPW2200	\$299.00	M22 14mm	2.30	1.60	2200	1125	-	14.0	14.2	72	47.0	Yes	Sorta	4.0	1.1	1.80	1050	1985	14.2	14.3

**KEY**  
**Rank** - Based on overall perform and personal preference  
**Outlet** - Pressure washer outlet thread/size  
**Rated** - Rating from the manufacturer  
**Measured** - Performance with stock accessories as tested by OG  
**Tested** - Performance with OG accessories and suggested nozzle size  
 \* - Pressure washer needed to ramp up before reaching steady working pressure

# AR BLUE CLEAN CONSUMER

Rank	Model	Retail	Outlet	Rated Flow (GPM)	Measured Flow (GPM)	Rated Pressure (PSI)	Measured Pressure (PSI)	OE Nozzle Orifice	Rated Current Draw (A)	Measured Current Draw (A)	Loudness w/ OE Sprayer (DB)	Weight (LBS)	Accepts Foam Cannon w/ OE Sprayer	Total Stop System	OG Suggested Nozzle Size	Suggested Foam Cannon Orifice Size (mm)	Tested Flow (GPM)	Tested Pressure (PSI)	Tested Cleaning Units	Tested Current Draw (A)	Current Draw w/ Foam Cannon (A)
	AR 112S	\$129.00	M22 15mm	1.40	1.40	1500	1300	-	12.0	12.4	64	19.0	Yes	Yes	3.0	1.1	1.40	1050	1565	10.8	12.6
	AR 111S	\$129.00	M22 15mm	1.50	1.30	1600	1200	-	12.0	11.6	64	14.4	Yes	Yes	3.0	1.1	1.40	1050	1544	10.6	12.4
	AR 240S	\$189.00	M22 15mm	1.40	1.10	1700	1450	-	13.0	14.1	64	29.0	Yes	Yes	2.5	1.1	1.20	1200	1536	12.8	13.0
	AR 383	\$199.00	M22 15mm	1.50	1.30	1900	1450	-	13.0	13.6	65	28.0	Yes	Yes	3.0	1.1	1.50	1100	1672	11.6	13.6
	AR 383S	\$199.00	M22 15mm	1.30	1.10	1800	1525	-	13.0	14.3	67	24.5	Yes	Yes	2.5	1.1	1.30	1200	1572	12.8	13.0
	AR 383SS	\$229.00	M22 15mm	1.30	1.20	1800	1525	-	13.0	13.8	69	32.0	Yes	Yes	3.0	1.1	1.40	1000	1460	11.3	13.0
	AR 390SS	\$249.00	M22 15mm	1.40	1.10	2000	1700	-	14.0	14.3	72	31.0	Yes	Yes	2.5	1.1	1.20	1200	1536	11.9	12.1
	AR 2N1	\$289.00	M22 15mm	1.40	1.10	2050	1625	-	16.6	14.3	70	29.0	Yes	Yes	2.5	1.1	1.20	1200	1524	11.8	12.0
	BC111HS	\$149.00	M22 15mm	1.70	1.09	1600	1375	-	13.0	13.0	67	15.0	Yes	Yes	2.5	1.1	1.22	1125	1373	9.5	10.2
	BC142HS	\$159.00	M22 15mm	1.70	1.02	1700	1425	-	11.0	10.6	67	18.0	Yes	Yes	2.5	1.1	1.22	1100	1342	8.6	9.6
	BC2N1HSS	\$299.00	M22 15mm	1.40	1.05	2030	1750	-	13.0	13.5	70	36.0	Yes	Yes	2.5	1.1	1.36	1000	1360	9.9	11.1
	BC383HS	\$219.00	M22 15mm	1.70	-	2000	-	-	13.0	-	-	25.0	Yes	Yes	3.0	1.1	-	-	-	-	-
	BC383HSS	\$249.00	M22 15mm	1.60	1.06	2150	1710	-	13.0	14.0	66	24.0	Yes	Yes	3.0	1.1	1.40	990	1386	10.3	11.6
	BC390HSS	\$299.00	M22 15mm	1.70	1.05	2300	1710	-	13.0	14.0	66	33.0	Yes	Yes	3.0	1.1	1.35	975	1316	10.5	11.6
	BM2300-X	\$369.00	M22 15mm	1.50	1.09	2300	1790	-	13.0	13.0	70	36.4	Yes	Yes	2.5	1.1	1.18	1050	1239	10.0	10.6
	MAXX2200-Q	\$309.00	M22 15mm	1.20	-	2200	-	-	15.0	-	-	47.0	Yes	Yes	2.5	1.1	-	-	-	-	-
	MAXX3000	\$489.00	M22 15mm	1.30	1.00	3000	2275	-	15.0	14.1	68	55.0	Yes	No	2.5	1.1	1.16	1010	1172	7.6	8.4

**KEY**  
**Rank** - Based on overall perform and personal preference  
**Outlet** - Pressure washer outlet thread/size  
**Rated** - Rating from the manufacturer  
**Measured** - Performance with stock accessories as tested by OG  
**Tested** - Performance with OG accessories and suggested nozzle size





Rank	Model	Retail	Outlet	Rated Flow (GPM)	Measured Flow (GPM)	Rated Pressure (PSI)	Measured Pressure (PSI)	OE Nozzle Orifice	Rated Current Draw (A)	Measured Current Draw (A)	Loudness w/ OE Sprayer (DB)	Weight (LBS)	Accepts Foam Cannon w/ OE Sprayer	Total Stop System	OG Suggested Nozzle Size	Suggested Foam Cannon Orifice Size (mm)	Tested Flow (GPM)	Tested Pressure (PSI)	Tested Cleaning Units	Tested Current Draw (A)	Current Draw w/ Foam Cannon (A)
	SPX200SP	\$125.99	M22 15mm	1.80	1.15	2100	1800	-	13.0	13.4	-	22.3	No	Yes	3.0	1.1	1.41	1050	1481	10.1	11.8
	SPX205E-JT	\$109.00	M22 15mm	1.45	1.10	1600	-	-	11.0	10.8	-	13.5	No	Yes	2.0	1.1	1.21	950	1150	9.6	10.1
	SPX2598P-MAX	\$179.00	M22 15mm	1.60	1.15	2000	1600	-	13.0	13.5	-	21.7	Yes	Yes	3.0	1.1	1.41	1000	1410	10.4	12.2
	SPX2098-ELT	\$199.00	M22 15mm	1.65	1.14	2050	1600	-	13.0	13.4	-	21.0	Yes	Yes	3.0	1.1	1.42	1000	1420	10.3	12.0
	SPX2599-MAX	\$189.00	M22 15mm	1.65	1.13	2080	1600	-	13.0	13.1	-	22.3	Yes	Yes	3.0	1.1	1.38	1000	1380	10.1	12.0
	SPX4003	\$229.00	M22 15mm	1.60	1.04	2200	1700	-	14.5	13.4	-	37.3	No	Yes	2.0	1.1	0.97	1100	1067	8.7	8.4
	SPX4004-MAX	\$249.00	M22 15mm	1.60	1.07	2300	1750	-	13.0	14.2	-	26.5	Yes	Yes	3.0	1.1	1.34	1000	1340	10.4	12.0
	SPX4003-ELT	\$239.00	M22 15mm	1.65	1.04	2250	1700	-	14.5	14.2	-	36.0	No	Yes	2.0	1.1	0.99	1100	1089	9.2	8.8
	SPX4600-MAX	\$359.00	M22 15mm	1.30	1.04	3000	2300	-	14.5	14.8	-	36.5	Yes	Yes	2.5	1.1	1.15	1000	1150	8.7	9.3
	SPX4800	\$399.00	M22 15mm	1.30	1.04	3200	2400	-	14.9	14.4	-	47.4	Yes	Yes	3.5	1.1	1.17	1000	1170	7.1	9.3
	SPX7001-E	\$219.00	M22 15mm	1.95	1.18	2000	1900	-	13.0	11.7	-	17.2	No	Yes	4.5	1.1	1.67	1000	1673	7.8	-
	SPX202E	\$109.00	M22 15mm	1.40	1.30	1450	1090	-	11.5	10.2	65	11.2	No	Yes	3.0	1.1	1.40	1090	1559	9.8	11.2
	SPX1000	\$119.00	M22 15mm	1.40	1.30	1450	1000	-	11.5	9.9	66	11.7	No	Yes	3.0	1.1	1.40	1000	1440	9.2	10.9
	SPX1500	\$114.00	M22 15mm	1.50	1.20	1740	-	-	12.0	12.0	66	15.4	No	Yes	-	-	-	-	-	-	-
	SPX2000	\$125.00	M22 15mm	1.50	1.40	1740	800	-	12.5	9.4	71	17.4	No	Yes	2.5	1.10	1.20	1100	1375	11.8	11.6

**KEY**  
**Rank** - Based on overall perform and personal preference  
**Outlet** - Pressure washer outlet thread/size  
**Rated** - Rating from the manufacturer  
**Measured** - Performance with stock accessories as tested by OG  
**Tested** - Performance with OG accessories and suggested nozzle size

# SUNJOE CONTINUED

Rank	Model	Retail	Outlet	Rated Flow (GPM)	Measured Flow (GPM)	Rated Pressure (PSI)	Measured Pressure (PSI)	OE Nozzle Orifice	Rated Current Draw (A)	Measured Current Draw (A)	Loudness w/ OE Sprayer (DB)	Weight (LBS)	Accepts Foam Cannon w/ OE Sprayer	Total Stop System	OG Suggested Nozzle Size	Suggested Foam Cannon Orifice Size (mm)	Tested Flow (GPM)	Tested Pressure (PSI)	Tested Cleaning Units	Tested Current Draw (A)	Current Draw w/ Foam Cannon (A)
	SPX2500	\$139.00	M22 15mm	1.50	1.40	1885	1200	-	13.0	13.7	69	23.8	No	Yes	3.0	1.1	1.50	1100	1661	12.3	14.4
	SPX2598	\$100.99	M22 15mm	1.60	1.20	2000	1400	-	14.5	13.0	66	17.0	No	Yes	3.0	1.1	1.40	1000	1450	11.5	13.3
	SPX3200	\$179.00	M22 15mm	1.70	1.20	2030	1490	-	14.5	13.9	68	27.5	Yes	Yes	3.0	1.1	1.40	1000	1460	11.3	13.0
	SPX3000	\$149.00	M22 15mm	1.70	1.30	2030	1490	-	14.5	12.9	68	31.0	Yes	Yes	3.0	1.1	1.40	1000	1460	11.1	13.2
	SPX3001	\$229.00	M22 15mm	1.70	1.20	2030	1425	-	14.5	14.1	72	36.0	Yes	Yes	3.0	1.1	1.40	1025	1527	11.9	13.7
	SPX4000	\$199.00	M22 15mm	1.70	1.20	2030	1450	-	14.5	13.7	72	31.0	Yes	Yes	3.0	1.1	1.40	1000	1410	11.0	12.7
	SPX4001	\$209.00	M22 15mm	1.70	1.20	2300	1425	-	14.5	9.5	69	32.4	Yes	Yes	3.0	1.1	1.40	1000	1450	11.4	13.2
	SPX3500	\$279.00	M22 15mm	1.40	1.00	2300	1625	-	13.0	12.7	67	46.5	Yes	Yes	2.0	1.1	1.00	1300	1401	11.5	10.8
	SPX3501	\$299.00	M22 15mm	1.40	-	2300	-	-	13.0	-	-	46.5	Yes	Yes	2.0	1.1	1.00	1300	1404	11.5	10.8
	SPX3000 MAX	\$299.00	M22 15mm	1.30	1.00	2800	2191	-	14.5	14.2	67	23.4	Yes	Yes	2.0	1.1	1.10	1410	1607	10.6	9.5
	SPX3000-XT1	\$299.00	M22 15mm	1.60	1.30	2200	1725	-	13.0	13.5	67	28.4	Yes	Yes	3.0	1.1	1.40	990	1426	10.2	-
	SPX6001C	\$279.00	M22 15mm	0.70	0.80	1160	975	-	-	-	61	22.7	No	Yes	2.0	-	0.80	890	774	-	-
	SPX9007-PRO	\$314.99	M22 15mm	1.60	1.30	1800	1200	-	13.5	12.8	70	43.0	Yes	No	3.0	1.1	1.40	1000	1460	11.2	12.0
	SPX9004-PRO	\$279.99	M22 15mm	2.00	1.80	1300	790	-	13.5	12.5	67	43.0	Yes	No	4.0	1.1	1.70	800	1368	12.4	13.1
	SPX4000PRO	\$199.00	M22 15mm	1.76	1.15	2030	1510	-	14.5	13.0	67	28.0	Yes	Yes	3.0	1.10	1.37	1090	1496	10.3	12.1
	SPX9006PRO	\$335.99	M22 15mm	2.00	1.79	1300	910	-	13.5	12.4	66	62.4	Yes	No	4.0	1.1	1.70	925	1573	12.3	13.0

## KEY

**Rank** - Based on overall perform and personal preference

**Outlet** - Pressure washer outlet thread/size

**Rated** - Rating from the manufacturer

**Measured** - Performance with stock accessories as tested by OG

**Tested** - Performance with OG accessories and suggested nozzle size



Rank	Model	Retail	Outlet	Rated Flow (GPM)	Measured Flow (GPM)	Rated Pressure (PSI)	Measured Pressure (PSI)	OE Nozzle Orifice	Rated Current Draw (A)	Measured Current Draw (A)	Loudness w/ OE Sprayer (DB)	Weight (LBS)	Accepts Foam Cannon w/ OE Sprayer	Total Stop System	OG Suggested Nozzle Size	Suggested Foam Cannon Orifice Size (mm)	Tested Flow (GPM)	Tested Pressure (PSI)	Tested Cleaning Units	Tested Current Draw (A)	Current Draw w/ Foam Cannon (A)
	Pro Series	\$999.99	M22 14mm	Over 2.0	1.46	1800	1550	2.5	15.0	14.2	69	98.0	Yes	Yes	4.0	1.1	1.84	1075	1980	10.3	13.9
	Adam's VI	\$349.99	M22 15mm	1.50	1.50	1300	1300	-	14.5	14.3	67	47.0	Yes	Yes	3.5	1.25	1.60	1000	1610	12.4	12.9



Rank	Model	Retail	Outlet	Rated Flow (GPM)	Measured Flow (GPM)	Rated Pressure (PSI)	Measured Pressure (PSI)	OE Nozzle Orifice	Rated Current Draw (A)	Measured Current Draw (A)	Loudness w/ OE Sprayer (DB)	Weight (LBS)	Accepts Foam Cannon w/ OE Sprayer	Total Stop System	OG Suggested Nozzle Size	Suggested Foam Cannon Orifice Size (mm)	Tested Flow (GPM)	Tested Pressure (PSI)	Tested Cleaning Units	Tested Current Draw (A)	Current Draw w/ Foam Cannon (A)
	SHP 1600	\$116.98	M22 15mm	1.30	1.40	1600	1400	-	12.0	12.3	66	16.0	No	Yes	3.5	1.1	1.60	1050	1700	10.1	12.5
	SHP 1900	\$155.00	M22 15mm	1.30	1.30	1900	1700	-	13.0	14.2	68	25.0	No	Yes	3.5	1.1	1.50	1000	1590	10.5	12.9
	SHPW 2000	\$239.00	M22 15mm	1.40	1.10	2000	1800	-	14.0	13.7	69	31.0	Yes	Yes	3.0	1.1	1.40	1025	1507	10.0	11.4
	SLP 2050	\$249.00	M22 15mm	1.40	1.10	2050	1800	-	16.6	13.4	68	36.0	Yes	Yes	3.0	1.1	1.40	1000	14500	9.8	11.3
	SHP 2150	\$218.98	M22 15mm	1.40	1.10	2150	1775	-	14.0	14.1	67	26.0	Yes	Yes	3.0	1.1	1.50	1025	1538	10.4	11.4
	B&S 020667	\$249.00	M22 15mm	1.10	1.10	2000	1375	-	13.0	12.6	66	-	Yes	Yes	2.5	1.1	1.20	950	1188	11.4	11.8

**KEY**  
**Rank** - Based on overall perform and personal preference  
**Outlet** - Pressure washer outlet thread/size  
**Rated** - Rating from the manufacturer  
**Measured** - Performance with stock accessories as tested by OG  
**Tested** - Performance with OG accessories and suggested nozzle size